UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

## NOTICE OF ALLOWANCE AND FEE(S) DUE

261	1	1	
201			

7590

04/04/2008

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C. 1100 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005 EXAMINER

JAIN, RAJ K

ART UNIT PAPER NUMBER

2616 DATE MAILED: 04/04/2008

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,498	10/29/2003	Abbas Amirichimeh	1875.3640003/JTH/TAD	8175

TITLE OF INVENTION: CROSS LINK MULTIPLEXER BUS CONFIGURED TO REDUCE CROSS-TALK

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1440	\$300	\$0	\$1740	07/07/2008

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

#### HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.

B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

A. Pay TOTAL FEE(S) DUE shown above, or

B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

#### PART B - FEE(S) TRANSMITTAL

## Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE

Commissioner for Patents P.O. Box 1450

Alexandria, Virginia 22313-1450 (571)-273-2885 or <u>Fax</u>

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

Note: A certificate of mailing can only be used for domestic mailings of the CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address) Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission. 26111 7590 04/04/2008 Certificate of Mailing or Transmission STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C. I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below. 1100 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005 (Depositor's name (Signature (Date APPLICATION NO. FILING DATE ATTORNEY DOCKET NO. CONFIRMATION NO. FIRST NAMED INVENTOR 10/695,498 10/29/2003 1875.3640003/JTH/TAD 8175 Abbas Amirichimeh TITLE OF INVENTION: CROSS LINK MULTIPLEXER BUS CONFIGURED TO REDUCE CROSS-TALK APPLN. TYPE SMALL ENTITY ISSUE FEE DUE PUBLICATION FEE DUE PREV. PAID ISSUE FEE TOTAL FEE(S) DUE DATE DUE nonprovisional NO \$1440 \$300 \$0 \$1740 07/07/2008 **EXAMINER** ART UNIT CLASS-SUBCLASS JAIN, RAJ K 2616 370-535000 1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363). 2. For printing on the patent front page, list (1) the names of up to 3 registered patent attorneys ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached. or agents OR, alternatively, (2) the name of a single firm (having as a member a ☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required. registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed. 3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type) PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment. (A) NAME OF ASSIGNEE (B) RESIDENCE: (CITY and STATE OR COUNTRY) 4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above) 4a. The following fee(s) are submitted: lssue Fee A check is enclosed. Publication Fee (No small entity discount permitted) Payment by credit card. Form PTO-2038 is attached. The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Deposit Account Number \_\_\_\_\_\_ (enclose an extra copy of this fo Advance Order - # of Copies \_ (enclose an extra copy of this form). 5. Change in Entity Status (from status indicated above) a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27. ■ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2). NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office. Authorized Signature Date Typed or printed name Registration No. This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

PTOL-85 (Rev. 08/07) Approved for use through 08/31/2010.

OMB 0651-0033

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,498	10/29/2003	Abbas Amirichimeh	1875.3640003/JTH/TAD	8175
26111 75	90 04/04/2008		EXAM	IINER
STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.			JAIN, RAJ K	
1100 NEW YORK			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20005			2616	
			DATE MAIL ED: 04/04/200	8

## **Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)**

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 1022 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 1022 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

	Application No.	Applicant(s)
	10/695,498	AMIRICHIMEH ET AL.
Notice of Allowability	Examiner	Art Unit
	RAJ K. JAIN	2616
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits IGHTS. This application is	n this application. If not included unication will be mailed in due course. <b>THIS</b>
1. This communication is responsive to <u>1/10/08</u> .		
2. X The allowed claim(s) is/are 4-7,11-14 and 18 renumbered	<u>1-9</u> .	
<ul> <li>3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority do</li> </ul>	e been received. e been received in Applicati	on No
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.   A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which give	MENT of this application.  itted. Note the attached EX es reason(s) why the oath c	AMINER'S AMENDMENT or NOTICE OF
5. CORRECTED DRAWINGS ( as "replacement sheets") mus		
(a) I including changes required by the Notice of Draftspers		w ( PTO-948) attached
<ol> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner'</li> </ol>	•	r in the Office action of
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT		
Attachment(s)  1. M Notice of References Cited (PTO 892)	5 🗆 Notice of I	oformal Patent Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>D Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		nformal Patent Application Summary (PTO-413),
<ol> <li>Information Disclosure Statements (PTO/SB/08),</li> </ol>	Paper No.	/Mail Date s Amendment/Comment
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit		S Statement of Reasons for Allowance
of Biological Material	9. ☐ Other	

## **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Timothy Doyle on March 14, 2008.

Cancel claims 1-3, 8-10 and 15-17.

Add new claim 18.

Amend claims 4 and 11 as follows;

4. (Currently Amended) A cross link multiplexer bus, comprising:

a plurality of cross link multiplexers, said plurality of cross link multiplexers having a destination port configured to receive a signal and an origin port configured to produce said signal; and

a plurality of interconnects, wherein a set of interconnects of said plurality of interconnects is coupled between a pair of adjacent cross link multiplexers of said plurality of cross link multiplexers;

wherein:

said signal is eapable of being configured to be represented as a series of characters, and a character of said series of characters is eapable of being configured to be represented as a first data bit, a second data bit, and a first control bit;

a first interconnect of said set of interconnects is configured to convey said first data bit, a second interconnect of said set of interconnects is configured to convey said second data bit, and a third interconnect of said set of interconnects is configured to convey said first control bit;

Page 3

said first interconnect, said second interconnect, and said third interconnect are configured in a manner to reduce cross-talk;

said third interconnect is positioned substantially between said first interconnect and said second interconnect;

said series of characters is further configured to be represented as a third data bit, a fourth data bit, and a second control bit;

a fourth interconnect of said set of interconnects is configured to convey said third data bit, a fifth interconnect of said set of interconnects is configured to convey said fourth data bit, and a sixth interconnect of said set of interconnects is configured to convey said second control bit; and

said sixth interconnect is positioned substantially between said fourth interconnect and said fifth interconnect.

# 11. (Currently Amended) A cross link multiplexer bus, comprising:

a plurality of cross link multiplexers, said plurality of cross link multiplexers having a destination port configured to receive a signal, an origin port configured to produce said signal, a first power supply configured to provide a first voltage, and a second power supply configured to provide a second voltage, said first voltage <u>is</u> different from said second voltage; and

a plurality of interconnects, wherein a set of interconnects of said plurality of interconnects is coupled between a pair of adjacent cross link multiplexers of said plurality of cross link multiplexers;

wherein:

said signal is eapable of being configured to be represented as a series of characters, and a character of said series of characters is eapable of being configured to be represented as a first data bit and a second data bit;

a first interconnect of said set of interconnects is configured to convey said first data bit, a second interconnect of said set of interconnects is configured to convey said second data bit, and a third interconnect of said set of interconnects is configured to convey one of said first voltage and said second voltage;

said first interconnect, said second interconnect, and said third interconnect are configured in a manner to reduce cross-talk;

said third interconnect is positioned substantially between said first interconnect and said second interconnect;

said <u>character of series</u> of characters is further configured to be represented as a third <u>data</u> bit and a fourth data bit;

a fourth interconnect of said set of interconnects is configured to convey said third data bit, a fifth interconnect of said set of interconnects is configured to convey said fourth data bit, and a sixth interconnect of said set of interconnects is configured to convey one of said first voltage and said second voltage; and

Application/Control Number: 10/695,498 Page 5

Art Unit: 2616

said sixth interconnect is positioned substantially between said fourth interconnect and said fifth interconnect.

18. (New) A cross link multiplexer bus, comprising:
a first cross link multiplexer;
a second cross link multiplexer;
a destination port coupled to one of the first cross link multiplexer and the second cross
link multiplexer and configured to receive a signal, wherein the signal is configured to be
represented as a series of characters, a character of said series of characters is configured to be
represented as a first data bit, a second data bit, a first control bit, a third data bit, a fourth data
bit, and a second control bit;
an origin port coupled to one of the first cross link multiplexer and the second cross link
multiplexer and configured to produce the signal;
a first interconnect coupled between the first cross link multiplexer and the second cross
link multiplexer and configured to convey the first data bit;
a second interconnect coupled between the first cross link multiplexer and the second
cross link multiplexer and configured to convey the second data bit;
a third interconnect coupled between the first cross link multiplexer and the second cross
link multiplexer, said third interconnect positioned between the first interconnect and the second
interconnect in a manner to reduce cross talk, and configured to convey one of the first control
bit, a power supply voltage, and a ground voltage;

a fourth interconnect coupled between the first cross link multiplexer and the second cross link multiplexer and configured to convey the third data bit;

a fifth interconnect coupled between the first cross link multiplexer and the second cross link multiplexer and configured to convey the fourth data bit; and

a sixth interconnect coupled between the first cross link multiplexer and the second cross link multiplexer, said sixth interconnect positioned between the fourth interconnect and the fifth interconnect in a manner to reduce cross talk, and configured to convey one of the second control bit, the power supply voltage, and the ground voltage.

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

Claim 4 is allowed;

The prior art discloses plurality of cross link multiplexers interconnected via set of interconnects from a plurality of interconnects and configured to receive and transmit data between the multiplexers and other devices as appropriate.

The prior art however fails to disclose a signal configured to be represented as a series of characters, and a character of said series of characters is configured to be represented as a first data bit, a second data bit, a first control bit, a third data bit, a fourth data bit, and a second control bit, and furthermore the cross link multiplexers having a fourth interconnect of said set of interconnects configured to convey said third data bit, a fifth interconnect of said set of interconnects configured to convey said fourth data bit, and a sixth interconnect of said set of interconnects configured to convey a

second control bit and said sixth interconnect is positioned substantially between said fourth interconnect and said fifth interconnect.

Claim 11 is allowed;

The prior art discloses plurality of cross link multiplexers interconnected via set of interconnects from a plurality of interconnects and configured to receive and transmit data between the multiplexers and other devices as appropriate.

The prior art however fails to disclose a signal configured to be represented as a series of characters and a character of said series of characters is configured to be represented as a first data bit, a second data bit, a third data bit, and a fourth data bit, and further the cross link multiplexers having a fourth interconnect of said set of interconnects configured to convey said third data\_bit, a fifth interconnect of said set of interconnects configured to convey said fourth data\_bit, and a sixth interconnect of said set of interconnects is configured to convey one of a first voltage and a second voltage wherein the first voltage is different from the second voltage and said sixth interconnect is positioned substantially between said fourth interconnect and said fifth interconnect.

Claim 18 is allowed;

The prior art discloses plurality of cross link multiplexers interconnected via set of interconnects from a plurality of interconnects and configured to receive and transmit data between the multiplexers and other devices as appropriate.

The prior art however fails to disclose a signal configured to be represented as a series of characters and a character of said series of characters is configured to be represented as a first data bit, a second data bit, first control bit, a third

data bit, a fourth data bit, and a second control bit, and further the cross link multiplexers having a fourth interconnect of said set of interconnects configured to convey said third data\_bit, a fifth interconnect of said set of interconnects configured to convey said fourth data\_bit, and a sixth interconnect positioned between the fourth interconnect and the fifth interconnect in a manner to reduce cross talk, and configured to convey one of the second control bit, a power supply voltage, and a ground voltage.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RAJ K. JAIN whose telephone number is (571)272-3145. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/695,498 Page 9

Art Unit: 2616

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Raj K. Jain/

Primary Examiner, Art Unit 2616

April 4, 2008